


# Retail Food Inspection Report

Floyd County Health Department

Telephone (812) 948-4726

<b>Establishment Name</b> BOB EVANS RESTAURANT #575		<b>Telephone Number</b> Est 812-948-0938 Own 614-497-4755		<b>Date of Inspection</b> 02/09/2022	<b>ID#</b>
<b>Address</b> 2204 STATE ST, NEW ALBANY IN 47150		<b>Purpose</b> <input type="checkbox"/> Routine <input checked="" type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)		<b>Follow Up</b>	<b>Released</b> 02/19/2022
<b>Owner</b> BOB EVANS RESTAURANTS TOPCO LP				<b>Menu Type</b> 1 _ 2 _ 3 _ 4 <u>X</u> 5 _	
<b>Owner's Address</b> 8111 SMITH'S MILL ROAD NEW ALBANY, OH 43054-					
<b>Person in Charge</b> ANGELA HOLLOWAY					
<b>Responsible Person's Email</b> BER.0575@BOBEVANS.COM					
<b>Certified Food Handler</b> JEFFERY HEDRICK                      STEPHANIE SANDERS					
<small>CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"          VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"</small>					
<b>Section #</b>	<b>C</b>	<b>NC</b>	<b>R</b>	<b>Narrative</b>	<b>To Be Corrected</b>
443	X		X	Observed quat sanitizer to be 400+ppm in the sanitizer buckets. Maintenance came out but did not check sanitizer concentration per invoice. When sanitizer is put in buckets, employee must dilute with water and check concentration with quat test strips.	2/16/22
177		X		Observed 2 boxes of french toast base on the floor of the walk in freezer.	CORRECTED
218		X		Observed left fan not working on the condensing unit in the walk in freezer. Manager to call maintenance and submit invoice to health department in one week.	2/16/22
243		X	X	Observed single use items on the floor in the storage areas.	TODAY
324		X	X	Observed ice buildup on pipes of condensing unit in walk in freezer. Manager to call maintenance and submit invoice to health department in one week.	2/16/22
393		X	X	Observed no drain plug in left dumpster.	2-16-22
433		X	X	Observed mop head drying in empty mop bucket. Health department recommends employee meeting to make sure employees are hanging mops correctly after cleaning.	CORRECTED
<b>Summary of Violations</b> C <u>  1  </u> NC <u>  6  </u> R <u>  5  </u>					
Received by (name and title printed): ANGELA HOLLOWAY				Inspected by (name and title printed): Christa Manus EHS	
Received by (signature):				Inspected by (signature): 	
cc:		cc:		cc:	